

CMP
ANIMAL WELFARE

Riding the wind of innovation

PRODUCT LIST 2022

Made in Italy

Follow us on



Technological innovation

CMP is always at customer's side and oriented towards a single target: the animal welfare.

Over the years, CMP Impianti has developed the necessary experience and know-how to create excellent products in ventilation industry, improving its systems with constant innovation.

With more than 100.000 fans sold around the world, we represent the benchmark in the ventilation category.

CMP is a market leader in the world, with more than 50 distributors currently dislocated in: Albania, Austria, Belarus, Bulgaria, Croatia, Denmark, France, Germany, Greece, Italy, Lithuania, Malta, Moldova, Netherlands, Poland, Portugal, United Kingdom, Czech Republic, Romania, Slovakia, Slovenia, Spain, Switzerland, Ukraine, Hungary, Cambodia, China, Cyprus, Northern Cyprus, South Korea, Indonesia, Iran, Israel, Laos, Russia, Taiwan, Thailand, Turkey, Vietnam, Algeria, Chad, Egypt, Mali, Morocco, Rwanda, Papua New Guinea, Argentina, Brazil, Canada, Colombia, Ecuador, Panama.

Animals need the best ventilation and CMP systems represent the best solutions to cope with heat stress.

A proper ventilation, ensured by a professional design of the system based on the building's structure and climate condition, is the key to remove harmful gases, to dry the environment and to reduce the negative effects that stem from heat stress.

The wide range of fans, control units and accessories provided by CMP, contributes to develop a perfect ventilation system.

Check our price list to discover several adoptable solutions able to meet any kind of need.



Via A. Vespucci, 22
25012 Calvisano (BS)
+39 030 968 6428
info@cmp-impianti.com

Index


01. Fans

Fans Ø 0,8m	_____	Pag. 4
Fans Ø 1m	_____	Pag. 6
Fans Ø 1,3m	_____	Pag. 8
Fans Ø 1,6m	_____	Pag. 10
Fans Ø 2,5m	_____	Pag. 12
Fans Ø 3m	_____	Pag. 13
Fans Ø 4m	_____	Pag. 14
Fans Ø 5m	_____	Pag. 16
Fans Ø 6m	_____	Pag. 18
Fans Ø 7m	_____	Pag. 19

Fans

Diameter 0,8m

01.



Vertigo

Fiberglass propylene blades

	rpm	blades	kW	weight
brushless	900	7	0,72	30 kg
asynchronus	900	7	0,85	30 kg



Vertigo

Fiberglass propylene blades

	rpm	blades	kW	weight
brushless	900	7	0,72	-
asynchronus	900	7	0,85	-



Fans


Diameter 0,8m

01.

Vertigo

Fiberglass propylene blades


	rpm	blades	kW	weight
brushless	900	7	0,72	-
asynchronus	900	7	0,85	-



Vertigo

Fiberglass propylene blades


	rpm	blades	kW	weight
asynchronus	900	7	0,85	-



Fans

Diameter 1m

01.



Vertigo

Fiberglass propylene blades

	rpm	blades	kW	weight
brushless	700	5	0,65	33 Kg
asynchronous	700	5	1	33 Kg



Vertigo

Fiberglass propylene blades

	rpm	blades	kW	weight
brushless	700	5	0,65	-
asynchronous	700	5	1	-



Fans


Diameter 1m

01.

Vertigo

Fiberglass propylene blades

	rpm	blades	kW	weight
brushless	700	5	0,65	-
asynchronus	700	5	1	-



Vertigo

Fiberglass propylene blades


	rpm	blades	kW	weight
asynchronus	700	5	1	-



Fans

Diameter 1,3m

01.



Vertigo

Fiberglass propylene blades

	rpm	blades	kW	weight
brushless	700	3	0,65	38 Kg
asynchronus	700	3	0,75	38 Kg



Vertigo

Fiberglass propylene blades

	rpm	blades	kW	weight
brushless	700	3	0,65	-
asynchronus	700	3	0,75	-



Vertigo

Fiberglass propylene blades


	rpm	blades	kW	weight
brushless	700	3	0,65	-
asynchronus	700	3	0,75	-



Fans

Diameter 1,3m

01.




Vertigo

6060 aluminium alloy blades

New

	rpm	blades	kW	weight
brushless	725	4	0,65	-
asynchronus	725	4	0,75	-

Performance line



Vertigo

6060 aluminium alloy blades

New

	rpm	blades	kW	weight
brushless	725	4	0,65	-
asynchronus	725	4	0,75	-

Performance line



Vertigo

6060 aluminium alloy blades

New

	rpm	blades	kW	weight
brushless	725	4	0,65	-
asynchronus	725	4	0,75	-


Performance line



Fans

Diameter 1,6m

01.



Vertigo

6060 aluminium alloy blades



Brushless motor

	rpm	blades	kW	weight	net
standard	500	4	1	67 Kg	120°
standard	500	4	1	102 Kg	360°
standard	500	4	1	57 Kg	-



VSL Vertigo

6060 aluminium alloy blades


	rpm	blades	kW	weight	net
standard	500	4	1,2	59 Kg	120°
standard	500	4	1,2	94 Kg	360°
standard	500	4	1,2	49 Kg	-



Fans

Diameter 1,6m

01.



Vertigo

6060 aluminium alloy blades

New

	rpm	blades	kW	weight
brushless	725	4	0,65	-
asynchronus	725	4	0,75	-

Performance line




Vertigo

6060 aluminium alloy blades

New

	rpm	blades	kW	weight
brushless	725	4	0,65	-
asynchronus	725	4	0,75	-


Performance line



Fans

Diameter 2,5m

01.



Vertigo

6060 aluminium alloy blades



Brushless motor

	rpm	blades	kW	weight	net
standard	220	3	0,8	55 Kg	-
standard	230	6	1,1	190 Kg	360°
power	250	6	1,7	204 Kg	360°
standard	230	6	1,1	64 Kg	-
power	250	6	1,7	76 Kg	-



VSL Vertigo

6060 aluminium alloy blades


	rpm	blades	kW	weight	net
standard	240	6	1,35	55 Kg	-



Fans

Diameter 3m

01.



Vertigo

6060 aluminium alloy blades



Brushless motor

	rpm	blades	kW	weight
standard	165	6	0,9	68 Kg
power	190	6	1,3	80 Kg



VSL

6060 aluminium alloy blades

	rpm	blades	kW	weight
standard	130	6	1,4	60 Kg



Fans

Diameter 4m

01.

Zefiro

6060 aluminium alloy blades



Brushless motor

	rpm	blades	kW	weight
standard	110	5/6	0,5	65 Kg
power	140	5/6	1,1	79 Kg



VSL

6060 aluminium alloy blades

	rpm	blades	kW	weight
standard	110	5/6	0,6	63 Kg



Fans

Diameter 4m

01.


VS

6060 aluminium alloy blades



Axial unloader

	rpm	blades	kW	weight
standard	110	5/6	0,6	81 Kg



Fans

Diameter 5m

01.


Zefiro

6060 aluminium alloy blades



Brushless motor


	rpm	blades	kW	weight
light	85	5/6	0,6	79 Kg
standard	105	5/6	0,8	93 Kg
power	120	5/6	1,7	101 Kg



VSL

6060 aluminium alloy blades

	rpm	blades	kW	weight
standard	110	5/6	0,6	63 Kg



Fans

Diameter 5m

01.


VS

6060 aluminium alloy blades



Axial unloader

	rpm	blades	kW	weight
standard	98	5/6	1	90 Kg



Fans

Diameter 6m

01.

Zefiro

6060 aluminium alloy blades



Brushless motor

	rpm	blades	kW	weight
light	70	5/6	0,7	97 Kg
standard	85	5/6	1,0	105 Kg

VS

6060 aluminium alloy blades



Axial unloader

	rpm	blades	kW	weight
standard	86	5/6	1,5	108,6 Kg

Fans

Diameter 7m

01.

Zefiro

6060 aluminium alloy blades



Brushless motor

	rpm	blades	kW	weight
light	60	5/6	0,8	102 Kg
standard	75	5/6	1,2	110 Kg

VS

6060 aluminium alloy blades



Axial unloader

	rpm	blades	kW	weight
standard	73	5/6	1,8	112,1 Kg

Contacts

Contacts

Email: info@cmp-impianti.com

Phone: +39 030 9686428

Address

Via Amerigo Vespucci, 22

Calvisano (Brescia), IT

Socials



@CMPAnimalwelfare



@cmp_animalwelfare



@cmp-animal-welfare



CMP

ANIMAL WELFARE

Via A. Vespucci, 22
25012 Calvisano (BS)
+ 39 030 968 6428
info@cmp-impianti.com

Follow us on:

